

ENCLOSED SKIRTING SYSTEM



ENCLOSED SKIRTING SYSTEM





ENCLOSED SKIRTING SYSTEM

ASGCO®'s Enclosed Skirtboard Sealing System is a highly effective method of containing material and dust through the conveyor loading points or load zone area. Enclosed Conveyor skirt board systems can be customized with various types of internal skirt board liners, internal dust curtains, external skirting clamps and dust sealing compounds, depending on the application.

FEATURES AND BENEFITS

- **Superior Material Containment** – Effectively seals the load zone to prevent material spillage and minimize dust escape, improving housekeeping and safety.
- **Advanced Dust Control Performance** – Integrated sealing components and optional dust curtains help control airborne particles at the source.
- **Multiple Sealing Configurations** – Available with a wide range of internal liners, rubber or polyurethane skirting, external clamps, and dust sealing compounds to match specific applications.
- **Custom-Engineered Design** – Each system is tailored to your conveyor structure and material characteristics to ensure optimal sealing performance.
- **Flexible Mounting System** – Skirtboard legs can be installed along various points of the conveyor structure, providing maximum adaptability.
- **Vertical and Horizontal Adjustability** – Adjustable skirt walls and liners allow for precise positioning to maintain consistent sealing as components wear.
- **Simplified Installation Process** – Designed for straightforward installation, reducing downtime during setup or retrofitting.
- **Reduced Maintenance Requirements** – Durable components and efficient sealing reduce material buildup and wear on surrounding equipment.
- **Quick Component Replacement** – Internal liners and external skirting can be easily accessed and replaced without extensive disassembly.
- **Improved Conveyor Efficiency** – Minimizes material loss and carryback, helping maintain consistent throughput and system performance.
- **Enhanced Equipment Protection** – Reduces abrasive wear on conveyor components by keeping material properly contained within the load zone.
- **Adaptable for Various Industries** – Ideal for mining, aggregates, cement, recycling, and other bulk material handling applications.





EFFECTIVE SKIRTBOARD SEALING SYSTEM FOR MORE PRODUCTIVE MATERIAL HANDLING

INTERNAL LINERS

Vertically Adjustable and easily replaceable

SKIRT LEGS AND WALLS

Vertically and Horizontally Adjustable

DUST CURTAIN

Suppresses and reduces airflow, which helps to contain dust



SKIRT BOARD SEALING

Standard Clamp-Mount® or
ClampMount MDX™ Skirt System with
Dura-Seal, Tri-Seal, Multi-Seal, or SX-3 Dust Skirting options



